IN THE CLAIMS:

- 1. (Original) A personal safety device including at least one housing containing a quantity of a marking substance, an explosive charge, and a triggering apparatus which is operative to detonate the explosive charge to propel the marking substance from the housing to mark the area surrounding the device.
- 2. (Original) A device according to claim 1 wherein the triggering apparatus is a mechanically actuated apparatus.
- 3. (Original) A device according to claim 2 wherein the triggering apparatus has an ignitor for igniting and thus detonating the explosive charge.
- 4. (Original) A device according to claim 3 wherein the ignitor is actuated by moving one component relative to another component, to produce spark ignition by friction.
- 5. (Original) A device according to claim 4 wherein one or both of the components has a chemically treated surface which reacts as the components are relatively moved, to enhance ignition.
- 6. (Currently amended) A device according to any one of the preceding elaims claim 1 wherein the housing includes a first housing part and a second relatively moveable housing part, movement of the second housing part relative to the first housing part to operate operating the triggering device.
- 7. (Original) A device according to claim 6 wherein the first housing part is attached in use, to a user or a structure.

- 8. (Currently amended) A device according to claim 6 or claim 7 where dependant upon claim 4 wherein the ignitor is actuated by moving one component relating to another component, to produce spark ignition by friction, and wherein the triggering device includes a cord attached to one or other of the triggering apparatus' relatively moveable components, the one component being moved relative to the other by a user moving the second housing part away from the first housing part to pull on the cord.
- 9. (Currently amended) A device according to any one of the preceding elaims claim 1 wherein the device includes a guard which conceals or otherwise guards the triggering apparatus against accidental actuation.
- 10. (Currently amended) A device according to claim 9 where dependant upon elaim 6 wherein the housing includes a first housing part and a second relatively moveable part, movement of the second housing part relative to the first housing part operating the triggering device, and wherein the guard includes a slidable or otherwise moveable or removable part, which in normal use, prevents the housing parts being relatively moved and hence preventing the triggering apparatus being actuated.
- 11. (Currently amended) A device according to claim 9 or claim 10 wherein the guard is readily moveable or removable in preparation for operation of the device, with minimal dextrous ability.
- 12. (Currently amended) A device according to any one of the preceding claims claim 1 wherein the marking substance is a generally harmless substance.

- 13. (Currently amended) A device according to any one of the preceding claims claim 1 wherein the marking substance includes a highly staining and difficult to remove dye.
- 14. (Currently amended) A device according to any one of the preceding elaims claim 1 wherein the marking substance includes material which is not visible in the visual spectrum.
- 15. (Original) A device according to claim 14 wherein the marking substance includes a fluorescent compound which is detectable under UV wavelength light; or a trace material detectable by chromatography, X-ray fluorescence, or other otherwise by spectroscopy.
- 16. (Currently amended) A device according to any one of the preceding elaims claim 1 wherein the marking substance includes a material with a unique identifier.
- 17. (Original) A device according to claim 16 wherein the material contains a unique chemical identifier such as DNA, or a chemically coded taggant.
- 18. (Currently amended) A device according to any one of the preceding elaims claim 1 wherein the device includes a transmitter for transmitting a distress signal when the device is operated by actuating the triggering apparatus.
- 19. (Original) A device according to claim 18 wherein the device includes a receiver to receive a signal from a remote location, the receiver being operable in response, to actuate the transmitter to transmit the distress signal.

- 20. (Currently amended) A device according to any one of the preceding elaims claim 1 wherein the device includes a re-chargeable or replaceable power pack.
 - 21. (Cancelled)
- 22. (Original) A personal safety system including a personal safety device including at least one housing containing a transceiver, the transceiver being operable to transmit a distress signal, the system further including a remote receiver to receive the transmitted distress signal, and a remote transmitter for transmitting an actuating signal to the personal safety device, the transceiver receiving the remotely transmitted actuating signal and transmitting the distress signal in response.
- 23. (Currently amended) A system according to claim 22 wherein the personal safety device includes any of the features of any one of claims 1 to 21 at least one housing containing a quantity of a marking substance, an explosive charge, and a triggering apparatus which is operative to detonate the explosive charge to propel the marking substance from the housing to mark the area surrounding the device.
- 24. (Currently amended) A system according to claim 22 or claim 23 wherein the system includes a plurality of remote receivers, so that the distress signal may be received is receivable by a receiver in range and used to locate the personal safety device.
 - 25-26. (Cancelled)